


uNion[®]

cervical plate system



100 Years

Over A Century Of Innovation



Ulrich
medical USA

System


- Material: titanium alloy
- Color coded screw sizes include 4.0mm and 4.5mm diameters in 12mm to 18mm lengths
- 4.0mm screws are available in self-drilling/self-tapping design
- Standard plates: 2.0mm thickness at waist, 16.5mm width, available in 1 to 4 levels (12mm to 84mm)
- Designed with a blocking mechanism to restrict screw backout
- Blocking design of each screw hole allows surgeons to visualize and feel blocking function and to achieve proper positioning



standard cervical plate - 1 level

Tray View

- Multiple handle options
- 2 driver options (tapered and split tip)
- Independent drill options for each screw length
- Modular tray design for ease of use



bottom layer



top layer

Indications

The uNion cervical plate system is intended for anterior fixation of the cervical spine (C2 to T1). The system is to be used to provide stabilization of the anterior cervical spine as an adjunct to fusion for the treatment of degenerative disc disease (defined as neck pain of discogenic origin with the degeneration of the disc confirmed by history and radiographic studies), spondylolisthesis, trauma (i.e., fractures or dislocations), tumors, spinal stenosis, deformity (i.e., kyphosis, lordosis or scoliosis), pseudarthrosis or failed previous fusion.


Advantages

Optimized implant design


- Excellent bone purchase with cancellous thread design
- Screw angulation of $\pm 10^\circ$ for a total of 20°
- Plates are designed with 8° of lordosis, cephalad to caudal
- 5° biased angle in the coronal plane of the plate
- Multiple screw options available in the set

Screw Color (Anodizing) Chart


Screw Length	Fixed Screw		Variable Screw
	Shaft	Head	Shaft & Head
12mm	Dark Blue	Gray	Dark Blue
14mm	Magenta	Gray	Magenta
16mm	Gold	Gray	Gold
18mm	Light Blue	Gray	Light Blue




4.5mm fixed screw
rescue self-tapping
18mm length




4.5mm variable screw
rescue self-tapping
18mm length



4.0mm fixed screw
self-drilling/self-tapping
18mm length



4.0mm variable screw
self-drilling/self-tapping
18mm length



Components

Implants

Product Number

Standard Cervical Plate , 1-level, lengths 12-26mm	UM102-01-12 to -26
Standard Cervical Plate , 2-level, lengths 24-46mm	UM102-02-24 to -46
Standard Cervical Plate , 3-level, lengths 39-69mm	UM102-03-39 to -69
Standard Cervical Plate , 4-level, lengths 60-84mm	UM102-04-60 to -84
Rescue Self-Tapping Fixed Screw , Ø 4.5mm, lengths 12-18mm	UM142-45-12 to -18
Self-Drilling/Self-Tapping Fixed Screw , Ø 4mm, lengths 12-18mm	UM144-40-12 to -18
Rescue Self-Tapping Variable Screw , Ø 4.5mm, lengths 12-18mm	UM152-45-12 to -18
Self-Drilling/Self-Tapping Variable Screw , Ø 4mm, lengths 12-18mm	UM154-40-12 to -18

Instruments

Product Number

Awl (2.5mm)	UM170-00-01
Variable Drill Guide	UM170-00-02
Fixed Drill Guide	UM170-00-03
Plate Bender	UM170-00-05
Plate Holder - Outer Connection	UM170-00-06 or CS 1871
Ratcheting Handle	UM170-00-07
Static Handle	UM170-00-08
Jeweler Handle	UM170-00-09
2.5 Hex Screwdriver Shaft Split Tip	UM170-00-10
2.5 Hex Screwdriver Shaft Tapered Tip	UM170-00-11
Awl Sleeve	UM170-00-12
Drill, 2.5 x 12mm	UM180-00-12
Drill, 2.5 x 14mm	UM180-00-14
Drill, 2.5 x 16mm	UM180-00-16
Drill, 2.5 x 18mm	UM180-00-18
Temporary Fixation Screw	UM180-00-25

100years

Over A Century Of Innovation



18221 Edison Avenue, Chesterfield, MO 63005
 Phone: 866.519.0268 | Fax: 636.519.0271
www.ulrichmedicalusa.com

World Headquarters
ulrich medical®
 Buchbrunnenweg 12
 89081 Ulm, Germany